

# Subject Index

- 3D display, 14
- 4-adjacent, 465
- 4-connected, 465
- 8-adjacent, 466
  
- A**
- abutting polygons, 458
- accessor, 474
- ACM SIGGRAPH, 6, 378
- active edge list, 462
- additive color model, 331
- adjacency primitive, *see* primitive
- AEL, *see* active edge list
- affine
  - invariance
    - Bézier curve, 549, 550
    - Bézier surface, 555
    - NURBS, 624
    - spline curve, 576
  - transformation, 154, 681
    - defining matrix, 154
    - definition, 154
    - geometric 2D, 162
    - geometric 3D, 187
    - translational component, 154
- algebraic curve, 672
- aliasing, 387, 419
- alpha, 410
  - alpha-morph, 415
- ambient light, *see* light
- angle of incidence, 338
- angular attenuation, *see* light
- animation
  - articulated figure (character), 136
  - code, 106, 136
  - control, 103
  - GL 4.3, 484
  - key-frame, 136
  - technicals, 103
  - transformations, *see* modeling transformation
- annular disc, *see* GLU quadric
- annulus
  - circular, 37
  - double, 35
  - square, 33
- antialiasing, 419
- antipodal points, 218
- API (Application Programming Interface), 7, 17
  - API-independent, 52
  - OpenGL, *see* OpenGL
  - POV-Ray, *see* POV-Ray
- application programming interface, *see* API
- approximation
  - mesh, 287
  - of control points, 541
  - polyline, 272
- aspect ratio, 20
- atmospheric effect, 416
- attachment (framebuffer), *see* framebuffer attachment
- attenuation, *see* light, angular attenuation *and* light, distance attenuation
- attractor, 313, 314, 541
- attribute, 28
- attribute variable, 476
- automorphism, *see* inner automorphism
- axis
  - axis-aligned, 82
  - calibration, 21, 22
  
- B**
- B-spline, 557
  - blending function, *see* blending function
  - curve, 561
    - blending function, 561
    - cubic (fourth-order), 569
    - definition, 565
    - degree, 571
    - degree 0 (first-order), 562
    - drawing, 584
    - linear (second-order), 563

SUBJECT INDEX

- non-uniform arbitrary order, 571
  - order, 571
  - quadratic (third order), 566
  - vs. Bézier curve, 582
- rational, *see* NURBS
- surface, 583
  - bicubic, 586
  - blending function, 584
  - drawing, 585
  - lighting and texturing, 586
  - trimmed, 587
  - uniform, 562
- back face
  - back-face culling (polygon culling), 260
  - back-facing polygon, 251
- background
  - (clearing) color, 27
  - light, 335
- barycentric
  - combination, *see* convex combination
  - coordinates, 228, 230, 234
- base
  - curve, 291
  - texture, 389
- basis
  - function, *see* blending function
- Bernstein polynomial, 542, 545–547
- Bézier, 541
  - curve, 541
    - affine invariance, 550
    - arbitrary order, 547
    - blending function, 542
    - cubic (fourth-order), 545
    - de Casteljaou’s recursion, 547
    - drawing, 313
    - end tangent, 551
    - evaluator, 313
    - linear (second-order), 542
    - order, 313
    - quadratic (third-order), 543
    - rational, *see* rational Bézier curve
    - vs. B-spline curve, 582
    - vs. polynomial curve, 552
  - patch, 314
  - surface, 553
    - affine invariance, 555
    - blending function, 555
    - drawing, 314
    - evaluator, 315
    - parameter curve, 555
    - rational, *see* rational Bézier surface
- bias matrix, 438
- bicubic
  - B-spline surface, 586
  - Bézier patch, 316
  - surface patch, *see* Hermite surface patch
- bilinear patch, 297
- billboarding, 418
  - billboard, 418
- bitmap, 66
  - bitmapped text, *see* text
- bitplane, 430
- blending, 407
  - blend function, 410
  - equation, 409
  - factor, 409
  - function
    - B-spline curve, 561
    - B-spline surface, 584
    - Bézier curve, 542
    - Bézier surface, 555
    - Hermite polynomial, 594
    - Lagrange polynomial, 599
    - NURBS curve, 623
    - NURBS surface, 624
    - rational Bézier curve, 614
    - rational Bézier surface, 623
    - Wish List, 561
  - GL 4.3, 508
- Blinn-Newell method, 423
- blit, 434
- blue book, 27
- BMP file format, 380, 381
- bounding box, 321
- break-and-make procedure, 571
- Bresenham’s line rasterizer, *see* raster algorithm
- brightness
  - HSB, 334
  - patch, *see* patch brightness
- BSP tree, 202
  - hidden surface removal, 40
- buffer, 429
  - accumulation, 429
  - auxiliary color, 430
  - back, *see* drawable
  - color, 13, 105, 332, 429
  - depth ( $z$ -), 38, 430
  - double, 104
  - drawable (back, swap), 105
  - frame, *see* framebuffer
  - front, *see* viewable
  - hit, 140
  - main, *see* viewable
  - object, 61
  - ping-pong, 105, 535
  - precision, 430
  - refresh, 105

- render, *see* renderbuffer
  - single, 105
  - stencil, *see* stencil buffer
  - swap, *see* drawable
  - triple, 106
  - viewable (front, main), 105
  - $z$ -, *see* depth
  - built-in variable, 482
  - bump mapping, 435, 487
    - bump map, 436
- C**
- $C^m$ -continuity, *see* continuity
  - calibrating axis, *see* axis calibration
  - callback routine, 49
  - camera
    - as input device, *see* input device
    - box, 20
    - OpenGL, 117
    - orientation, *see* orientation
    - point, 43
    - pose, 118
      - default, 118
  - canoe, 316, 372
  - canonical
    - rectangle, 631
    - viewing box, 604
  - cardinal spline, 596
  - cathode-ray tube, *see* CRT
  - Catmull-Rom spline, 597
  - CdM formula, *see* Cox-de Boor-Mansfield
  - center of projection (COP), 43
  - centroid, 232
  - CGAL, 248
  - CGI (computer-generated imagery), 3
  - checkered floor, 357
  - chirality, 192
  - CIE, 331
    - XYZ color model (1931 color model), 334
  - circle, 36
    - as conic, 275
    - circumscribed, 303
    - rational parametrization, 276
  - circular paraboloid, 300
  - clamp
    - color, 27
    - texture, *see* texture wrapping mode
  - clearing color, *see* background color
  - clipping, 25
    - algorithm (clipper)
      - Cohen-Sutherland line clipper, 445
      - Liang-Barsky line clipper, 448
      - Sutherland-Hodgman polygon clipper, 449
    - in the synthetic-camera pipeline, 628
    - planes, 26, 73
      - GL 4.3, 502
    - rectangle, 446
  - cloth physics, 112
  - CMY color model, *see* color model
  - CMYK color model, *see* color model
  - Cohen-Sutherland line clipper, *see* clipping algorithm
  - coherence, *see* edge coherence
  - collinearity test, 182
  - collision detection, 134
  - color
    - background (clearing), 27
    - buffer, *see* buffer, color
    - coding, 515
    - cube, 331
    - desaturated, 334
    - foreground (drawing), 27
    - gamut, 333
    - material mode, 350
    - model
      - additive, 331
      - CIE XYZ (CIE 1931), 334
      - CMY, 333
      - CMYK, 333
      - HSV (HSB), 334
      - RGB, 331
      - subtractive, 333
    - primary, 331
    - purity, 334
    - saturation, 334
    - secondary, 353
    - space, 331
    - tuple, 331
    - Venn diagram, 331
    - wheel, 334
  - column matrix, *see* matrix
  - compatibility profile, *see* OpenGL profile
  - computational geometry, 221, 239, 248
  - Computer History Museum, 317
  - computer-generated imagery, *see* CGI
  - conditional rendering, 205
  - cone, 294
    - doubly-curved, 294, 370
    - elliptic, 299
    - generalized, 298
    - GLUT, 73, 113
    - light, *see* light cone
    - right circular, 298
  - cone cell, 330
  - conic section (conic), 275
    - as a rational Bézier curve, 616
    - degenerate, 275, 277

SUBJECT INDEX

- rational parametrization, 276
- conical helix, 271
- conjugate quaternion, *see* quaternion
- continuity
  - $C^0$ , 278
    - coordinate patch, 308
    - curve, 278
    - parametrization, 278
    - surface, 309
  - $C^1$ , 279
    - curve, 279
    - parametrization, 279
    - surface, 311
  - $C^2$ 
    - curve, 282, 283
    - surface, 311
  - $C^m$ , 282
    - coordinate patch, 310
    - curve, 282
    - function of two variables, 310
    - parametrization, 282
  - $C^\infty$ , 282
  - regular
    - $C^m$  surface, 311
    - $C^\infty$  surface, 311
    - 1D object, 281
    - 2D object, 312
    - coordinate patch, 311
    - curve, 279, 281
    - parametrization, 279
    - surface, 311
  - smooth
    - curve, 282
    - function, 282
    - surface, 311
- control
  - point
    - curve, 313, 541, 558
    - surface, 314, 553, 583
    - weight, 613
  - polygon, 313, 544
  - polyhedron, 315, 553
- convex (convexity)
  - combination, 228, 230, 234
  - hull, 236
  - polygon, 235
  - set, 235
  - under affine transformation, 156
  - under geometric transformation, 163, 187
- Cook-Torrance lighting model, *see* light, lighting model
- coordinate patch, *see* continuity
- coordinatization of  $\mathbb{P}^2$ , 660
- COP, *see* center of projection
- core profile, *see* OpenGL profile
- coverage, *see* fragment
- Cox-de Boor-Mansfield (CdM) formula, 573
- cross-product (vector product), 181
- CRT (cathode-ray tube), 12, 332
- cube
  - GLUT, 73
  - map, 424
  - mapping, 424
- cubic
  - arc, 591
  - B-spline curve, 569
  - Bézier curve, 545
  - interpolation, 592
  - NURBS curve, 624
  - rational Bézier curve, 614
  - spline, *see* Hermite
  - spline curve, 570
- culling
  - back-face (polygon), *see* back-face culling
  - frustum, *see* frustum culling
  - occlusion, *see* occlusion culling
- curve
  - B-spline, *see* B-spline curve
  - Bézier, *see* Bézier curve
  - base, 291
  - $C^m$ , *see* continuity
  - conic section (conic), *see* conic section
  - degree, *see* B-spline curve *and* Bézier curve
  - drawing, 271
  - mathematical formalism, 277
  - NURBS, *see* NURBS
  - order, *see* B-spline curve *and* Bézier curve
  - piecewise Bézier, *see* piecewise
  - piecewise cubic, *see* piecewise
  - piecewise regular, *see* piecewise
  - plane, 266
    - implicit specification, 266
    - parametric (explicit) specification, 267
  - polynomial parametrization, 274
  - profile, 291
  - rational parametrization, 274
  - regular, *see* continuity
  - sequel, *see* sequel curve
  - smooth, *see* continuity
  - source, *see* source curve
  - space, 269
    - implicit specification, 270
    - parametric (explicit) specification, 271
  - spline, *see* B-spline curve

- cut-away view, 75
- cut-off depth, 201
- cylinder, 45, 286
  - as swept surface, 291
  - drawing, 288
  - elliptic, 299
  - equations, 286
  - generalized, 298
  - hyperbolic, 299
  - lit, 369
  - lit and textured, 398
  - parabolic, 299
  - right circular, 298
  - tapered, 302
- D**
- data glove, *see* input device
- DDA line rasterizer, *see* raster algorithm
- de Casteljau’s method, 543
  - recursive formula, 547
- de-homogenization, 673
- default pose (OpenGL camera), 118
- defining
  - matrix, *see* affine transformation
  - trajectory, 297
- degenerate
  - conic, *see* conic
  - scaling, *see* scaling
  - triangle, *see* triangle
- degree
  - curve, *see* B-spline curve *and* Bézier curve
  - of freedom, 270
- delta form factor, *see* form factor
- depth
  - buffer, *see* buffer
  - testing (*see also* hidden surface removal), 38, 430
  - texture, *see* texture
- destination pixel, 408
- differential geometry, 325
- diffuse light, *see* light
- Digital differential analyzer (DDA) line rasterizer, *see* raster algorithm
- Direct3D, 51
- directional light source, *see* light
- disc, 37
  - annular, *see* GLU quadric
  - partial annular, *see* GLU quadric
- discard fragment, 494
- discriminant
  - Bresenham’s algorithm, 454
  - conic, 275
  - determinant, 168
- displacement vector, 148, 173
- display
  - list, 65
    - base, 65
    - mode, 105
- distance attenuation, *see* light
- distance-preserving transformation, *see* transformation
- divisor, *see* instanced rendering
- dodecahedron, 304
  - GLUT, 73
- dot product (scalar product), 121
- double buffering, 104
- doubly-curved cone, *see* cone
- doubly-ruled surface, 301
- draw-and-swap loop, 105
- drawing
  - color, *see* foreground color
  - mode, 32
    - filled, 32
    - outlined, 32
    - wireframe, 32
  - primitive, *see* primitive
- duality
  - Euler angle, 209
  - point-line, 660, 670
  - regular polyhedron, 305
- E**
- edge
  - coherence, 462
  - ownership rule, 459
  - table (ET), 462
- Eiffel Tower, 296
- electromagnetic, *see* EM
- ellipse, 44
  - as conic, 275
  - rational parametrization, 276
- ellipsoid, 299
- elliptic
  - cone, 299
  - cylinder, 299
  - paraboloid, 299
- EM
  - radiation, 330
  - spectrum, 330
- embedding ( $\mathbb{R}^2$  in  $\mathbb{P}^2$ ), 662
- emission rate, 650
- emissive
  - light, 336
    - vector, 337
- environment mapping, 422
- equivalence class (of parallel lines), 663
- Euclidean
  - geometry, 660
  - transformation (isometry)
    - 2D, 167, 170

SUBJECT INDEX

- 3D, 191, 193
- Euler angle, 132, 206
- Euler’s Rotation Theorem, 194
- evaluator, *see* Bézier
- explicit specification, *see* curve and surface
- external texture, 380
- extreme point, 237
- extrusion (extruded surface), 291
  - extruded helix, 295
- eye direction vector, 255, 340
  
- F**
- face, 284
  - viewing, *see* viewing
- feedback mode, 141
- feeler ray, 643
- field of view angle (fovy), 75
- filled drawing mode, *see* drawing mode
- film-capture, 678
- filter (filtering), 387
  - magnification (mag), 388
  - minification (min), 388
  - mipmap, 389
- flash, *see* shimmer
- flat shading, *see* shading
- Flatland, 147
- flood-fill, *see* raster algorithm
- flush, 50, 429
- fog, 416
  - color, 416
  - factor, 417
  - mode, 417
  - parameters (start, end, density), 417
- font, 66
- foreground (drawing) color, 27
- foreshortening, 42
- form factor, 650
  - delta, 654
- four-color printing, 333
- fovy, *see* field of view angle
- fractal, 322
  - curve, 322
  - tree, 324
- fragment, 139, 408
  - coverage, 419
  - discard, 494
- fragment shader, *see* shader
- frame
  - rate, 104
- framebuffer, 401, 430
- framebuffer attachment, 401
- framebuffer object (FBO), 401, 430, 434
- FreeGLUT, 49, 78
  
- object, 72
- friction (in animation), 109
- front-facing polygon, 251
- frustum, 41
  - culling, 135, 197
  
- G**
- game
  - physics, 110
  - programming, 197, 221
- game console, 9
- gamepad, *see* input device
- gamut, *see* color gamut
- generalized
  - cone, *see* cone
  - cylinder, *see* cylinder
- geodesic path, 219
- geometric primitive, *see* primitive
- geometry shader, *see* shader
- ghosting, 105
- gimbal lock, 208
- GIMP image editor, 333
- GLEW (OpenGL Extension Wrangler Library), 49
- GLFW (Graphics Library Framework), 51
- glint, 348
- GLM (OpenGL Mathematics) library, 484
- global
  - ambient light, *see* light
  - lighting (illumination) model, *see* light, lighting model
- GLSL, 469
  - data type, 473
  - aggregate, 473
  - complex, 475
  - opaque, 475
  - transparent, 475
  - sampler, *see* texture sampler
- GLU (OpenGL Utility Library)
  - quadric, 301
    - annular disc, 302
    - partial annular disc, 303
    - sphere, 302
    - tapered cylinder, 302
- GLUI User Interface Library, 78
- golden ratio, 307
- Gouraud shading, *see* shading
- gradient (grad), 364
- graphical
  - text, *see* text
  - user interface, *see* GUI
- graphics
  - pipeline
    - OpenGL, 637

- operation, 627
  - programmable, 469
  - ray tracing, *see* ray tracing
  - synthetic-camera, 17, 139, 627
- system, 8
  - interactive, 8
- gravity, 109
- grid, *see* sample grid
- GUI (graphical user interface), 5, 78
- H**
- half-plane, 235
- half-space, 73
- halfway vector, 340
- handedness, 191
- handheld device, 9
- haptic device, *see* input device
- HDTV, *see* high-definition TV
- helical pipe, 290
- helix, 40
  - toroidal, 292
- hemicube method, 652
- hemisphere, 46
- Hermite
  - blending polynomial, 594
  - cubic, 594
  - interpolation, 591
  - matrix, 593
  - spline, 591
  - surface patch, 597
- hexahedron, 304
- hidden surface removal (*see also* depth testing), 38, 260
- high-definition TV (monitor), 12
- highlight, 348
- hit, 139
  - buffer, 140
  - record, 140
- homogeneous
  - coordinates, 161, 660
  - homogenization, 673
  - polynomial, 671
- HSV (HSB) color model, 334
- hue, 334
- hull, *see* convex hull
- hyperbola, 267
  - as conic, 275
  - rational parametrization, 276
- hyperbolic
  - cylinder, 299
  - paraboloid, 299
- hyperboloid
  - 1 sheet, 299, 300
  - 2 sheets, 299
- I**
- icosahedron, 304
  - GLUT, 73
- idle function, 103
- illumination model, *see* light, lighting model
- image manipulation, 434
- immediate mode, *see* rendering
- implicit specification (equation), *see* curve *and* surface
- importing objects, 318
- incident ray, *see* ray
- infinite viewpoint, *see* light, viewpoint
- ink, 333
- inner automorphism, 214
- input
  - key
    - non-ASCII, *see* non-ASCII (special) key
  - mouse, 67
- input device, 9
  - camera, 11
  - data glove, 12
  - gamepad, 11
  - haptic, 11
  - joy stick, 11
  - keyboard, 10
  - mouse, 10
  - pointing stick, 10
  - spaceball, 11
  - touchpad, 10
  - touchscreen, 11
  - trackball, 11
  - wheel, 11
- inside-outside test, 456
- instanced rendering, 499
  - instance counter, 500, 501
  - instanced vertex attribute, 500
- intensity, 27, 330
- interaction
  - interactive system, *see* graphics system
  - key, *see* input, key
  - mouse, *see* input, mouse
  - user, *see* user interaction
- interface block, 513
- interleaved array, 58
- International Commission on Illumination, *see* CIE
- interpolation, 28, 231
  - first-order, 595
  - linear, 231
  - linear with perspective correction, 635
  - perspectively correct, 635
  - zeroth-order, 595
- interpolation qualifier, 483

SUBJECT INDEX

- intersection detection, *see* collision detection
- invariance
  - affine, *see* affine invariance
  - projective, *see* projective invariance
  - snapshot, *see* snapshot invariance
- inverse
  - quaternion, *see* quaternion
- IRIS GL, 51
- isoline, *see* tessellation
- isometry, *see* Euclidean transformation
  
- J**
- Jacobi’s iterative method, 655
- jaggies, 419
- joint, 560
- joy stick, *see* input device
  
- K**
- kd-tree, 202
- keyboard, *see* input device
- Klein bottle, 259
- knot, 561
  - insertion, 577
  - interval, 561
  - multiple (coincident, repeated), 578
  - multiplicity, 578
  - vector, 561
    - non-uniform, 572
    - standard, 580
    - uniform, 561, 572
- Koch
  - curve, 322
  - polyline, 322
  - snowflake, 324
  
- L**
- Lagrange
  - curve, 599
  - interpolation, 598
  - polynomial, 599
- Lambert’s law, 339
- Lambertian surface, 652
- layout qualifier, 476
- LCD (liquid crystal display), 13, 332
- left-handed system, 191
- Lemniscate
  - of Bernoulli, 267
  - of Geronno, 269
- lerp, 220
- level-of-detail (LOD), 393
- Liang-Barsky line clipper, *see* clipping algorithm
- lifting, 671
- light
  - ambient light (reflectance), 335
    - calculating, 337
  - angular attenuation, 340
  - animation, 358
  - cone, 355
  - diffuse light (reflectance), 336
    - calculating, 338
    - in ray tracing, 647
    - transport via radiosity, 649
  - direction vector, 338
  - distance attenuation, 354
  - first lighting equation, 342
  - global ambient, 335, 351
    - vector, 337
  - lighting
    - GL 4.3, 486
    - per-fragment, 376
    - per-pixel, 376, 490
    - per-vertex, 376, 487
  - lighting model, 335
    - Cook-Torrance, 378
    - global, 644
    - local, 344
    - OpenGL, 351
    - Phong’s, 335
  - OpenGL lighting equation, 356
  - OpenGL specification, 345
  - properties matrix, 337
  - reflectance, 335
  - reflected, 335, 337
  - secondary, 344
  - shininess exponent, 340
  - source
    - directional, 353
    - positional (local), 353
    - regular, 355
  - specifying properties (color), 337
  - specular light (reflectance), 336
    - calculating, 339
  - spotlight, 355
    - attenuation exponent, 355
    - cutoff angle, 355
    - direction, 355
  - two-sided, 352
  - viewpoint
    - infinite, 351
    - local, 351
- lighting model, *see* light
- line
  - antialiasing, 419
  - at infinity, 664
  - clipper, *see* clipping algorithm
  - loop, *see* polygonal line loop
  - of projection, 24, 43
  - of sight (los), 117, 123
    - vector, 123



- OpenGL (straight line) segment,
  - 29
  - thickness (width), 29
- polygonal, *see* polygonal line
- rasterizer, *see* raster algorithm
- semi-infinite segment, 448
- stipple, 71
  - GL 4.3, 504
- tangent, *see* tangent line
- linear
  - interpolation, *see* interpolation
  - transformation, 154
    - related, 676
- lines\_adjacency, 529
- liquid crystal display, *see* LCD
- local
  - (object’s) coordinate system, 97
  - control, 558
  - light source, *see* light source, positional
  - lighting (illumination) model, *see* light, lighting model
  - viewpoint, *see* light, viewpoint
- LOD, *see* level-of-detail
- M**
- magnification, *see* filter
- mapped sample, 272, 287
- material
  - ambient scaling factor, 337
  - color mode, 350
  - diffuse scaling factor, 339
  - OpenGL specification, 346
  - properties matrix, 337
  - specifying properties (color), 337
  - specular scaling factor, 340
- matrix
  - bias, 438
  - column matrix, 89
  - inverse transpose, *see* normal matrix
  - pick, *see* picking
  - rotation, *see* rotation
  - transpose inverse, *see* normal matrix
  - tridiagonal, 596
- medium of light, 647
- menu (pop-up), 70
- Mercator projection, 395
- Mesa 3D, 52
- mesh, 283
  - boundary, 284
  - polygonal, *see* polygonal mesh
  - triangular, *see* triangular mesh
- Meshing Roundtable Conference, 248
- minification, *see* filter
- mipmap, *see* filter
- mirror, *see* reflection
- Möbius band, 259
- modeling transformation, 82
  - composing, 88
- modelview
  - matrix, 91
    - current, 101, 130, 189
    - stack, 101, 130, 189
  - transformation, 124
- monitor, 332
- morph, 415
- motion blur
  - screen space, 508
  - world space, 416
- mouse, *see* input device
  - button click, 67
  - motion, 68
  - wheel, 69
- movie, 373
- multiple program objects, *see* program object
- multiple windows, 78
- multiresolution, 393
- multisampling, 421
- multitexturing, *see* texture, multitexturing
- N**
- name, 140
  - stack, 140
- native color, 336, 346
- natural cubic spline, 595
- non-ASCII (special) key, 69
- non-orientable surface, *see* orientation
- non-uniform rational B-spline, *see* NURBS
- normal, 338
  - calculation, 365
  - line, 363
  - map, 496
  - matrix, 374
  - normalizing, 375
  - programmed calculation, 370
  - reversal on back faces, 352
  - transforming, 373
  - vector, 338, 363
- normalizing, *see* vector
- NURBS, 623
  - curve, 623
    - blending function, 623
  - drawing, 624
  - surface, 623
    - blending function, 624
- O**
- OBJ file format, 318, 319

SUBJECT INDEX

- object space, 22
  - object-object light interaction, 344, 378, 644
  - occlusion, 38, 651
    - culling, 202
    - query, 203
  - octahedron, 304
    - GLUT, 73
  - octant, 202
  - octree, 199
  - opaque, 410, 412
  - OpenGL
    - Architecture Review Board (ARB), 51
    - context, 49, 473
    - Embedded Systems (ES), 8, 498
    - history, 7, 51
    - introduction, 17
    - lighting equation, *see* light
    - lighting model, *see* light, lighting model
    - pipeline, *see* graphics pipeline
    - primitive, *see* primitive
    - profile, 473
      - backward compatible, 473
      - compatibility, 473
      - core, 473
      - forward compatible, 473
    - shading language, *see* GLSL
    - shading model, *see* shading model
    - state machine, 27
  - order
    - curve, *see* B-spline curve *and* Bézier curve
    - vertex, *see* vertex order
  - orientation
    - animating using Euler angles, 207
    - animating using quaternions, 221
    - consistent, 255
    - inconsistent, 255
    - non-orientable surface, 259
    - of camera, 130
    - of geometric primitive, 32, 249
      - under transformation, 261
    - of rigid body, 207, 213
    - orientable surface, 259
    - orientation-preserving transformation, 167, 192
    - orientation-reversing transformation, 167, 192
  - orthogonal projection, *see* projection
  - orthographic projection, *see* projection
  - oscillatory motion, 114
  - outcode, 446
  - outlined drawing mode, *see* drawing mode
  - output device, 12
  - output to command window, 36
- P**
- parabola, 37
    - as conic, 275
    - rational parametrization, 276
  - parabolic cylinder, 299
  - paraboloid
    - circular, 300
    - elliptic, 299
    - hyperbolic, 299
  - parallel projection, *see* projection
  - parallelepiped, 186
  - parallelism
    - projective plane, 660
    - under affine transformation, 156
    - under geometric transformation, 163, 187
  - parameter
    - curve, 286
    - domain, 268
    - function, 268
    - parametrization, 268
      - $C^0$ , *see* continuity
      - $C^1$ , *see* continuity
      - $C^m$ , *see* continuity
    - polynomial, 274
    - rational, 274
    - trigonometric, 274
  - rectangle, 315, 393
  - space, 267
  - variable, 268
- parametric specification, *see* curve *and* surface
- parity, 457
  - test, 456
- partial
  - annular disc, *see* GLU quadric
  - derivatives, 358
- particle system, 373, 422
  - transform feedback, 535
- partition of unity, 549
- partitioning, *see* space partitioning
- patch
  - Bézier, *see* Bézier patch
  - bicubic, *see* bicubic
  - bilinear, *see* bilinear patch
  - brightness, 650, 654
    - vector, 654
  - coordinate, *see* continuity
  - domain, 523
  - domain vertex, 523
  - GL 4.3, 520
  - Hermite, *see* Hermite surface patch
  - patchification, 650

- radiosity, 650
- pen-plotter, 466
- per-fragment operation, 637
- peripheral distortion, 44
- perpendicular projection, *see* projection
- perpendicularity test, 121
- Persistence of Vision Ray Tracer, *see* POV-Ray
- perspective
  - correction, 634
  - division, 610
  - GLU command, 75
  - projection, *see* projection
  - transformation, 42
- perspectively correct interpolation, 635
- PHIGS, 7
- Phong’s
  - lighting model, *see* light
  - shading model, *see* shading model
- physics engine, 110
- physics in graphics, 110
- picking, 143
  - color coding, 515
  - GL 4.3, 512
  - pick matrix, 144
- piecewise
  - Bézier curve, 552, 582
  - cubic curve, 591
  - polynomial function, 561
  - regular
    - curve, 281
    - surface, 312
- ping-pong buffering, *see* buffer
- pipeline
  - graphics, *see* graphics pipeline
  - pipelining (the Sutherland-Hodgman polygon clipper), 451
  - rendering, *see* graphics pipeline
- pipeline operation, *see* graphics pipeline
- pitch, 25, 207
- pixel, 12, 233, 332
- plane
  - clipping, *see* clipping
  - curve, *see* curve, plane
  - planar surface, *see* surface
  - planarity
    - under affine transformation, 156
    - under geometric transformation, 187
  - projective, *see* projective plane
  - tangent, *see* tangent plane
  - viewing, *see* viewing
- platform-independence, 51
- Platonic solid, 304
- point
  - antialiasing, 420
  - at infinity, 664
  - camera, 43
  - extreme, 237
  - GL 4.3, 509
  - light source, *see* light source, positional
  - OpenGL, 29
    - size, 29
  - point-line duality, *see* duality
  - regular, 664
  - rendering, 420
  - sprite, 422
    - GL 4.3, 510
  - vanishing, 665
- pointer (vector) form, 57
- pointing device, 10
- pointing stick, *see* input device
- polarized glasses, 14
- polygon
  - clipper, *see* clipping algorithm
  - culling, *see* back-face culling
  - drawing mode, *see* drawing mode
  - rasterizer, *see* raster algorithm
  - regular, *see* regular polygon
- polygonal
  - line (polyline), 30
  - line loop, 30
  - mesh, 283
- polyhedron, 304
  - polyhedral surface, 283
  - regular, *see* regular polyhedron
- polyline, *see* polygonal line
- polynomial
  - B-spline primitive, 557
  - Bézier primitive, 312, 541
  - Bernstein, *see* Bernstein polynomial
  - curve, 274
    - vs. Bézier curve, 552
  - function, 274
  - parametrization, 274
- pop-up menu, *see* menu (pop-up)
- popping, 392
- portability, 52
- positional light source, *see* light
- POV-Ray, 648
- primitive
  - adjacency, 529, 530
  - assembler (PA), 519
  - assembly, 628
  - atomic, 529
  - drawing, 29
- printer, 333
- procedural texture, *see* texture
- profile curve, 291

SUBJECT INDEX

- program object, 478
  - multiple, 506
- programmable pipeline, *see* graphics pipeline
- progressive refinement, 655
- projection
  - matrix, 471, 605
    - current, 130, 140, 611
    - stack, 130, 140, 611
  - orthogonal, 24
  - orthographic, 24
  - parallel, 24
  - perpendicular, 20
  - perspective, 41
  - statement, 19, 130
  - transformation, 604
- projective
  - algebraic curve, 672
  - geometry, 660
  - invariance
    - NURBS, 624
    - rational Bézier curve, 618, 621
    - rational Bézier surface, 623
  - line, 659
  - plane, 659, 660
  - point, 659, 675
  - space, 659, 675
  - transformation, 675, 681
    - algebraic definition, 676
    - geometric definition, 678
- projectivization, 671
- propeller, 317
- provoking vertex, 357, 483
- pruning, 199
- pseudo-
  - surface, 586
  - transformation, 681
- punctured rectangle, 308
- push-pop pair, 101–103
- pyramid, 41
  
- Q**
- quadrant, 199
- quadratic
  - B-spline curve, 566
  - Bézier curve, 543
  - rational Bézier curve, 613
  - spline curve, 568
- quadric surface (quadric), 299
  - GLU, *see* GLU quadric
- quadrilateral
  - projective transformation, 686
  - quadrilateralization, 301
- quadtree, 199
- quaternion, 210
  - conjugate, 212
  - inverse, 212
  - pure, 210
  - unit, 212
- query
  - timer, *see* timer query
  
- R**
- radial
  - axis, 95, 174
  - line, 152
  - plane, 152
  - primitive, 659
- radian, 114
- radiosity, 649
  - equation, 651
- range tree, 202
- raster, 12, 233, 332
  - algorithm, 445
    - Bresenham’s line rasterizer, 451
    - DDA (Digital Differential Analyzer) line rasterizer, 451
    - flood-fill, 465
    - scan-based polygon rasterizer, 456
  - rasterization, 234
  - text, *see* text
- rational
  - B-spline, *see* NURBS
  - Bézier curve, 612
    - blending function, 614
  - Bézier surface, 622
    - blending function, 623
  - function, 274
  - parametrization, 274
- ray
  - incident, 340
  - reflected, 340, 645
  - tracing, 641
    - ray tracer, 643, 644, 646, 648
  - transmitted, 645
  - tree, 645
- reciprocity equation, 651
- rectangle
  - canonical, 631
  - clipping, 446
  - OpenGL, 33
  - punctured, 308
- red book, 27
- reflectance, *see* light
- reflected
  - light, *see* light
  - ray, *see* ray
- reflection
  - about line, 151
  - about plane, 84, 185
  - by blending, 415

- in ray tracing, 647
    - mirror, 151, 185
    - model, *see* light, lighting model
    - through point, 194
    - vector, 340
  - reflection mapping, 423
  - reflective scaling factor, 650
  - refraction, 645
  - refresh rate, 13, 104, 333
  - regular
    - coordinate patch, *see* continuity
    - curve, *see* continuity
    - light source, *see* light
    - object, *see* continuity
    - parametrization, *see* continuity
    - piecewise, *see* piecewise
    - point, *see* point
    - polygon, 303
    - polyhedron, 303
      - duality, *see* duality
      - surface, *see* continuity
  - related linear transformation, *see* linear transformation
  - renderbuffer, 402
  - rendering, 20, 42
    - immediate mode, 60, 471
    - mode, 139
    - pipeline, *see* graphics pipeline
    - render farm, 649
    - retained mode, 60, 471
    - to texture, 401
  - renormalization, 375
  - reshape routine, 68
  - resolution, 12, 332, 387
    - buffer, 430
  - retained mode, *see* rendering
  - retina, 330
  - RGB color model, 331
  - RGBA, 380, 410
  - right-handed system, 191
  - rigid
    - object (body), 167
    - transformation
      - 2D, 167, 170
      - 3D, 192, 193
  - rod cell, 330
  - Rodrigues’ rotation formula, 185
  - roll, 207
  - rotation
    - 2D theory, 149
    - 3D theory, 174
    - matrix, 150
    - OpenGL, 85
  - ruled surface, 297
  - ruling, 297
- 
- S**
  - saddle surface, 299
  - saf (spotlight attenuation factor), *see* light, spotlight attenuation
  - sample, 36
    - grid, 272, 287
    - mapped, *see* mapped sample
  - sampler, *see* texture
  - scalar product, *see* dot product
  - scaling
    - 2D theory, 149
    - 3D theory, 173
    - degenerate, 84, 139
    - OpenGL, 83
    - uniform, 683
  - scan-based polygon rasterizer, *see* raster algorithm
  - Schläfli symbol, 304
  - scintillate, *see* shimmer
  - scissor
    - box, 433
    - rectangle, 433
    - test, 433
  - screen
    - in printing, 333
    - space, 23
  - screen tearing, 105
  - SDL (scene description language), 648
  - segment, *see* line
  - selection, 139
    - mode, 139
    - volume, 140
  - self-similarity, 322
  - sequel curve, 322
  - shader, 470
    - compiling, linking, 478
    - control flow, 505
    - fragment, 471
    - geometry, 471, 529
    - object, 478
    - pass-through, 483
    - stage, 470
    - subroutine, 505
    - tessellation, 471, 518
    - tessellation control (TCS), 518, 520
    - tessellation evaluation (TES), 518, 522
    - vertex, 470
  - shaderize, 476
  - shading
    - flat, 357, 483
    - Gouraud, *see* smooth
    - model
      - OpenGL, 357
      - Phong’s, 375

SUBJECT INDEX

- noperspective, 483
- smooth, 483
- smooth (Gouraud), 231, 357
- shadow, 138
  - map, 437
  - mapping (curved surfaces), 437
  - orthographic, 139
  - perspective, 442
  - projective, 442
  - ray traced, 643
  - volume, 442
- shape-preserving transformation, *see* transformation
- shark fin, 567
- shear
  - 2D, 153
    - angle of, 153
    - line of, 153
  - 3D, 186
    - angle of, 186
    - line of, 186
    - plane of, 186
- shimmer (flash, scintillate), 387
- shininess exponent, *see* light
- ship movie, 373
- shoot-and-print, 20, 42, 627
- shoot-em-up game, 139, 144
- SIGGRAPH, *see* ACM SIGGRAPH
- single buffering, 105
- Singular Value Decomposition, 195
- Sketchpad, 5, 466
- skybox, 424
- slerp, 219
- sliver, 244
- smoke, 373
- smooth
  - curve, *see* continuity
  - function, *see* continuity
  - shading, *see* shading
  - surface, *see* continuity
- snapshot
  - invariance, 621
  - transformation, 665, 674, 681
- Snell’s law, 647
- snowflake, *see* Koch
- solar system, 116
- source
  - curve, 322
  - fragment, 408
- space
  - curve, *see* curve
  - partitioning, 199, 202
  - travel, 133
- spaceball, *see* input device
- spectrum
  - EM, *see* EM spectrum
  - visible, *see* visible spectrum
- specular light, *see* light
- specular map, 495
- sphere
  - GLU, *see* GLU quadric
  - GLUT, 73
  - mapping, 423
  - texturing, 395
- spherical linear interpolation, *see* slerp
- SPIR-V, 476
- spiral, 40
- Spirograph, 273
- spline, 565
  - B-, *see* B-spline
  - curve, *see* B-spline curve
  - Hermite, *see* Hermite
- split-screen view, 77
- spotlight, *see* light
- sprite, *see* point sprite
- stack
  - modelview matrix, *see* modelview matrix
  - name, *see* name
  - projection matrix, *see* projection matrix
  - texture matrix, *see* texture matrix
- standard
  - knot vector, *see* knot
- state
  - machine, *see* OpenGL
  - variable, 27
- std430 layout, 513, 514
- Steiner vertex, 35, 244
- stencil
  - bit, 430
  - buffer, 430
  - mask, 431
  - tag, 430
  - test, 430
- stereoscopic glasses, 14
- stereoscopic viewing, 14, 430
- stereoscopy, 14
- STL (Standard Template Library), 68
- storage qualifier, 475
- straightness
  - under affine transformation, 156
  - under geometric transformation, 163, 187
- stroke text, *see* text
- sub-menu, *see* menu
- subroutine
  - type, 505
  - uniform, 505
- subtractive
  - color model, 333
  - primary, 333

- supercircle, 273
  - superellipse, 273
  - superellipsoid, 295
  - support (of a function), 558
  - surface
    - B-spline, *see* surface
    - Bézier, *see* Bézier
    - $C^m$ , *see* continuity
    - closed, 259
    - doubly-ruled, *see* doubly-ruled surface
    - drawing, 287
    - extruded, *see* extrusion
    - implicit specification, 286
    - mathematical formalism, 307
    - non-orientable, *see* orientation
    - normal, *see* normal
    - NURBS, *see* NURBS
    - of revolution, 291
    - orientable, *see* orientation
    - parametric (explicit) specification, 286
    - planar, 285
    - polyhedral, 283
    - quadric, *see* quadric
    - regular, *see* continuity
    - ruled, *see* ruled surface
    - saddle, *see* saddle surface
    - smooth, *see* continuity
    - swept, *see* sweeping
  - Sutherland, Ivan, 5
  - Sutherland-Hodgman polygon clipper, *see* clipping algorithm
  - sweeping, 290
    - swept surface, 290
  - swizzle, 474
  - synthetic texture, 380
  - synthetic-camera
    - model, 43
    - pipeline, *see* graphics pipeline
- T**
- table, 293
  - Taj Mahal, 296
  - tangent, 279
    - line, 279
    - plane, 311, 363
    - vector, 280, 311
  - tapered cylinder, *see* cylinder
  - teapot
    - GLUT, 73
    - Utah, 317
  - tension parameter, 597
  - tessellation
    - isoline, 526
    - level, 519, 522, 524
  - primitive generator (TPG), 518, 524
  - quad, 525
  - shader, *see* shader
  - spacing, 524
  - triangle, 526
  - tetrahedron, 304
    - GLUT, 73
    - tetrahedralization, 248
  - texel, 379
  - text, 66
    - bitmapped (raster), 66
    - GL 4.3, 503
    - stroke (vector), 66
  - texture
    - 3D coordinates, 425
    - active unit, 400
    - animation, 397, 428
    - base, 389
    - blending, 414
    - buffer object (TBO), 501
    - clamp to edge, 386
    - combiner function, 400
    - combining, 399
    - coordinates, 382, 393
      - array, 393
    - depth, 437
    - external, 380
    - filter, *see* filter
    - GL 4.3, 490
    - lighting, 397
    - loading, 380
    - lookup function, 491
    - map, 382
    - matrix, 397
      - current, 397
      - stack, 397
    - mipmap, *see* filter
    - multitexturing, 399
    - NPOT, 380
    - object, 380, 391
    - pre-filtered, 389
    - procedural, 380, 493
    - rendering to, 401
    - repeat, 386
    - resolution, 389
    - sampler, 475, 491
    - space, 382
    - synthetic, 380
    - texel, 379
    - tiled, 385
    - unit, 399
    - wrapping mode, 386
      - clamp to edge, 386
      - repeat, 386
  - Timaeus dialogues, 304

SUBJECT INDEX

- timer function, 104
  - timer query, 205
  - topological manifold, 309
  - toroidal helix, *see* helix
  - torpedo, 317
  - torus, 291
    - GLUT, 73, 113
  - torus knot, 293
  - touchpad, *see* input device
  - touchscreen, *see* input device
  - trackball, *see* input device
  - trajectory, 291
    - defining, 297
  - transform feedback, 515
    - buffer, 516
    - in particle systems, 535
    - object, 516
  - transform-and-draw loop, 103
  - transformation
    - affine, *see* affine transformation
    - composing, *see* modeling transformation, composing
    - distance-preserving, 167
    - Euclidean, *see* Euclidean transformation
    - isolating, 101
    - modeling, *see* modeling transformation
    - modelview, *see* modelview transformation
    - orientation-preserving, *see* orientation
    - orientation-reversing, *see* orientation
    - perspective, *see* perspective transformation
    - projection, *see* projection transformation
    - projective, *see* projective transformation
    - rigid, *see* rigid transformation
    - shape-preserving, 167
    - snapshot, *see* snapshot transformation
    - viewing, *see* viewing transformation
  - translation
    - 2D theory, 148
    - 3D theory, 173
    - OpenGL, 82
  - translational component, *see* affine transformation
  - translucent, 412
  - transmitted ray, *see* ray
  - transparent, 419
  - Tree Huggers’ Union, 249
  - triangle
    - degenerate, 45, 229
    - fan, 33
    - OpenGL, 32
    - strip, 32
  - triangles\_adjacency, 529
  - triangular mesh, 285
  - triangulation, 33, 241, 283
    - definition, 241
    - fan, 246
    - invalid, 241
    - valid, 242
  - Trick, 95
  - trigonometric parametrization, 274
  - trimmed B-spline surface, *see* B-spline surface
  - trimming loop, 587
  - triple buffering, 106
  - tristimulus theory, 330
  - truncated pyramid, 41
  - tweening, 138
  - twist vector, 598
  - twisted cubic, 273, 592
- U**
- uniform
    - B-spline, *see* B-spline
    - knot vector, *see* knot vector
    - scaling, *see* scaling
  - uniform variable, 476
  - UNISURF CAD system, 556
  - Unity, 145
  - up
    - direction, 117
    - vector, 120
  - user interaction, 37
  - Utah teapot, 317
- V**
- v-sync, *see* vertical synchronization
  - vanishing point, *see* point
  - VAO, *see* vertex array object
  - variant
    - Koch snowflake, 324
  - varying, 516
  - VBI, *see* vertical blank interrupt
  - VBO, *see* vertex buffer object
  - vector
    - displacement, *see* displacement vector
    - eye direction, *see* eye direction vector
    - form, *see* pointer form
    - halfway, *see* halfway vector
    - knot, *see* knot vector



- light direction, *see* light direction vector
  - line of sight (los), *see* line of sight vector
  - normal, *see* normal vector
  - normalizing, 341
  - patch brightness, *see* patch brightness vector
  - product, *see* cross-product
  - tangent, *see* tangent vector
  - text, *see* text
  - twist, *see* twist vector
  - up, *see* up vector
  - vector form, *see* pointer form
  - vertex, 18, 20
    - array, 57
    - array object, 63
    - buffer object, 60
    - order, 32, 250
    - equivalent, 252
    - Steiner, *see* Steiner vertex
  - vertex shader, *see* shader
  - vertical blank interrupt, 106
  - vertical synchronization, 105
  - viewing
    - box, 19
    - canonical, 604
    - face, 20, 41
    - frustum, 41
    - plane, 20, 41
    - transformation, 94, 117
    - trapezoid, 631
    - volume, 51, 604
  - viewpoint, *see* light, viewpoint
  - viewport, 77
  - virtual
    - object, 22
    - screen, 642
    - space, 23
  - viscous medium, 109
  - visibility determination, *see* hidden surface removal *and* depth testing
  - visible spectrum, 330
  - vision, 331
- W**
- WebGL, 498
  - weight
    - angle-weighted, 367
    - area-weighted, 367
    - control point, 613
    - weighted sum, 228
  - wheel, *see* input device
  - window
    - aspect ratio, *see* aspect ratio
  - windows
    - multiple, 78
  - wireframe drawing mode, *see* drawing mode
  - Wish List, *see* blending function
  - Witch of Agnesi, 267
  - world
    - coordinate system, 22, 24
    - space, 20
- X**
- XYZ color model, *see* CIE
- Y**
- yaw, 207
- Z**
- z-buffer, *see* buffer, depth
  - zoom, 136

## Program Index

OBJmodelViewer.cpp, 319  
 animateMan1.cpp, 136  
 animateMan2.cpp, 137  
 antiAliasing+Multisampling.cpp, 420  
 astroid.cpp, 272  
 ballAndTorus.cpp, 106  
 ballAndTorusFogged.cpp, 416  
 ballAndTorusLitOrthoShadowed.cpp, 371  
 ballAndTorusMotionBlurred.cpp, 416  
 ballAndTorusPicking.cpp, 144  
 ballAndTorusPickingShaderized.cpp, 512  
 ballAndTorusReflected.cpp, 415  
 ballAndTorusShaderSubroutines.cpp, 505  
 ballAndTorusShaderized.cpp, 484  
 ballAndTorusShadowMapped.cpp, 439  
 ballAndTorusStenciled.cpp, 432  
 ballAndTorusTwoProgramObjects.cpp, 506  
 ballAndTorusWithFriction.cpp, 109  
 ballsAndTorusTransformFeedback.cpp, 515  
 bezierCanoe.cpp, 316  
 bezierCurveTangent.cpp, 314  
 bezierCurveWithEvalCoord.cpp, 313  
 bezierCurveWithEvalMesh.cpp, 314  
 bezierCurves.cpp, 313  
 bezierSurface.cpp, 315  
 bicubicBsplineSurfaceTrimmed.cpp, 587  
 bicubicSplineSurface.cpp, 586  
 bicubicSplineSurfaceLitTextured.cpp, 586  
 bilinearPatch.cpp, 298  
 billboard.cpp, 418  
 blendRectangles1.cpp, 411  
 blendRectangles2.cpp, 412  
 box.cpp, 82  
 boxWithLookAt.cpp, 118  
 bSplines.cpp, 562  
 bumpMappinagPerPixelLight.cpp, 490  
 bumpMapping.cpp, 437  
 bumpMappingShaderized.cpp, 487  
 canvas.cpp, 72  
 checkeredFloor.cpp, 357  
 circle.cpp, 36  
 circularAnnuluses.cpp, 37  
 clippingPlanes.cpp, 74  
 clown2.cpp, 114  
 clown3.cpp, 112, 115  
 compareFilters.cpp, 392  
 convexHull.cpp, 236  
 cubicSplineCurve1.cpp, 570  
 cubicSplineCurve2.cpp, 585  
 cylinder.cpp, 288  
 DDA.cpp, 453  
 deCasteljau3.cpp, 544  
 doublyCurledCone.cpp, 295  
 eulerAngles.cpp, 207  
 extrudedHelix.cpp, 295  
 fakeT.cpp, 325  
 fieldAndSky.cpp, 387  
 fieldAndSkyFiltered.cpp, 391  
 fieldAndSkyFilteredShaderized.cpp, 490  
 fieldAndSkyLit.cpp, 398  
 fieldAndSkyTextureAnimated.cpp, 397  
 fieldAndSkyTexturesBlended.cpp, 415  
 fieldAndSkyTexturesBlendedShaderized.cpp,  
     508  
 flag.cpp, 110  
 floweringPlant.cpp, 115  
 fonts.cpp, 66  
 fractals.cpp, 323  
 gluQuadratics.cpp, 301  
 glutObjects.cpp, 73  
 helicalPipe.cpp, 290  
 helix.cpp, 40  
 helixList.cpp, 65  
 helixListShaderizedInstancedVertAttrib.cpp,  
     500  
 helixListShaderizedShaderCounter.cpp, 501  
 hemisphere.cpp, 47  
 hemisphereMultidraw.cpp, 59  
 hemisphereMultidrawVBO.cpp, 62  
 hemispherePerspective.cpp, 76  
 hermiteCubic.cpp, 594  
 hyperboloid1sheet.cpp, 300  
 imageManipulationFBO.cpp, 434  
 interpolateEulerAngles.cpp, 208  
 interpolation.cpp, 232  
 intersectionDetectionRoutines.cpp, 201

invalidTriangulation.cpp, 243  
 launchCameraBlurred.cpp, 508  
 lightAndMaterial1.cpp, 347  
 lightAndMaterial2.cpp, 348  
 lineStipple.cpp, 71  
 litBezierCanoe.cpp, 372  
 litCylinder.cpp, 369  
 litCylinderProgrammedNormals.cpp, 371  
 litCylinderShaderized.cpp, 489  
 litDoublyCurledCone.cpp, 370  
 litTexturedCylinder.cpp, 398  
 litTexturedCylinderClipped.cpp, 502  
 litTexturedCylinderShaderized.cpp, 492  
 litTriangle.cpp, 352  
 manipulateModelviewMatrix.cpp, 189  
 manipulateProjectionMatrix.cpp, 611  
 menus.cpp, 70  
 mipmapLevels.cpp, 392  
 mouse.cpp, 67  
 mouseMotion.cpp, 68  
 mouseWheel.cpp, 69  
 moveSphere.cpp, 43  
 multipleLists.cpp, 65  
 multipleWindows.cpp, 78  
 multitexture.cpp, 399  
 normalMapping.cpp, 496  
 occlusion.cpp, 203  
 occlusionConditionalRendering.cpp, 205  
 parabola.cpp, 37  
 particleSystem.cpp, 535  
 perspectiveCorrection.cpp, 633  
 pointSprite.cpp, 422  
 points.cpp, 509  
 proceduralTexture.cpp, 493  
 quadraticSplineCurve.cpp, 569  
 quaternionAnimation.cpp, 221  
 rationalBezierCurve1.cpp, 614  
 rationalBezierCurve2.cpp, 616  
 rationalBezierCurve3.cpp, 618  
 rationalBezierSurface.cpp, 623  
 relativePlacement.cpp, 100  
 renderedTexture.cpp, 403  
 rotatingHelix1.cpp, 103  
 rotatingHelix2.cpp, 103  
 rotatingHelix3.cpp, 104  
 rotatingHelixFPS.cpp, 104  
 selection.cpp, 140  
 shipMovie.cpp, 373  
 sizeNormal.cpp, 375  
 skybox.cpp, 425  
 spaceTravel.cpp, 133  
 spaceTravelFrustumCulled.cpp, 201  
 spaceTravelFrustumCulledTimerQuery.cpp,  
     205  
 specularMapping.cpp, 495  
 sphereInBox2.cpp, 366  
 sphereInBoxPOV.pov, 648  
 sphereInGlassBox.cpp, 414  
 sphereMapping.cpp, 423  
 spotlight.cpp, 351  
 square.cpp, 18  
 squareAnnulus1.cpp, 56  
 squareAnnulus2.cpp, 56  
 squareAnnulus3.cpp, 57  
 squareAnnulus4.cpp, 57  
 squareAnnulusAndTriangle.cpp, 58  
 squareAnnulusAndTriangleVAO.cpp, 63  
 squareAnnulusVBO.cpp, 61  
 squareGLFW.cpp, 51  
 squareOfWalls.cpp, 257  
 squareOfWallsReflected.cpp, 261  
 squareShaderized.cpp, 477  
 strangeK.cpp, 44  
 sweepBezierSurface.cpp, 554  
 table.cpp, 294  
 tessellatedCurve.cpp, 520  
 tessellatedSphere.cpp, 527  
 tetrahedron.cpp, 304  
 texturedSphere.cpp, 396  
 texturedSquare.cpp, 380  
 texturedTorpedo.cpp, 394  
 texturedTorus.cpp, 393  
 texturedTorusShaderized.cpp, 492  
 threeQuarterSphere.cpp, 258  
 throwBall.cpp, 109  
 torpedo.cpp, 317  
 torus.cpp, 292  
 torusSilhouette.cpp, 532  
 torusSweep.cpp, 292  
 turnFilm.cpp, 666  
 turnFilmBezier.cpp, 619  
 viewports.cpp, 77

---

PROGRAM INDEX